



SLUSHI™ MAX FROZEN DRINK MAKER WITH SLUSHASSIST FS605ANZ Series | Owner's Guide



IMPORTANT SAFETY INSTRUCTIONS

PLEASE READ ALL INSTRUCTIONS BEFORE USE • FOR HOUSEHOLD USE ONLY

	Read and review instructions for operation and use.
	Indicates the presence of a hazard that can cause personal injury, death, or substantial property damage if the warning included with this symbol is ignored.
	Combustible material. May burst if heated. (Indicated by a flame symbol with white background, surrounded by a red diamond.)
	Flammable material. (Indicated by a flame symbol with yellow background, surrounded by a black triangle.)
	For indoor and household use only.
When using electrical appliances, basic safety precautions should always be followed, including the following:	

⚠ DANGER: Risk of fire or explosion. Flammable refrigerant used. **DO NOT** puncture refrigerant tubing. Dispose of product properly in accordance with the applicable federal or local regulations pertaining to flammable refrigerants.

⚠ WARNING: To reduce the risk of injury, fire, electrical shock or property damage, basic safety precautions must always be followed, including the following numbered warnings and subsequent instructions. **DO NOT** use appliance for other than intended use.

- 1 Read all instructions prior to using the appliance and its accessories.
- 2 Carefully observe and follow all warnings and instructions. This unit contains electrical connections and moving parts that potentially present risk to the user.
- 3 Take inventory of all contents to ensure you have all parts needed to properly and safely operate your appliance.
- 4 Turn the appliance **OFF**, then unplug the appliance from the outlet when not in use, before assembling or disassembling parts, and before cleaning. To unplug, grasp the plug by the body and pull from the outlet. **NEVER** unplug by grasping and pulling the flexible cord.
- 5 Before use, wash all parts that may contact food. Follow washing instructions covered in this instruction manual.
- 6 **DO NOT** operate any appliance with a damaged cord or plug, or after the appliance malfunctions or is dropped or damaged in any manner. This appliance has no user-serviceable parts. If damaged, contact SharkNinja for servicing.
- 7 This appliance has important markings on the plug. The entire supply cord is not suitable for replacement. If damaged, please contact SharkNinja for service.
- 8 Extension cords should **NOT** be used with this appliance.
- 9 To protect against the risk of electric shock, **DO NOT** submerge the appliance or allow the power cord to contact any form of liquid.
- 10 **DO NOT** allow the cord to hang over the edges of tables or counters. The cord may become snagged and pull the appliance off the work surface.
- 11 **DO NOT** allow the unit or the cord to come in contact with hot surfaces, including stoves, and other heating appliances.
- 12 **ALWAYS** use the appliance on a dry and level surface.
- 13 **DO NOT** allow children to operate this appliance or use as a toy. Close supervision is necessary when any appliance is used near children.


IMPORTANT SAFETY INSTRUCTIONS

PLEASE READ ALL INSTRUCTIONS BEFORE USE • FOR HOUSEHOLD USE ONLY

- 14** This appliance is **NOT** intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance.
- 15 ONLY** use attachments and accessories that are provided with the product or are recommended by SharkNinja. The use of attachments not recommended or sold by SharkNinja may cause fire, electric shock, or injury.
- 16** Keep hands, hair, and clothing out of the container when loading and operating.
- 17** During operation and handling of the appliance, avoid contact with moving parts.
- 18 DO NOT** microwave the containers or accessories provided with the appliance.
- 19 DO NOT** use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- 20 DO NOT** damage the refrigerant circuit. This warning is only applicable for appliances with refrigerating circuits which are accessible by the user.
- 21 DO NOT** use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- 22 DO NOT** add frozen fruit, frozen vegetables, or ice to the unit.
- 23 DO NOT** add hot ingredients to the unit.
- 24 DO NOT** submerge the motor base or control panel in water or other liquids.
- 25 DO NOT** fill vessel past the MAX FILL line.
- 26 NEVER** leave the appliance unattended while in use.
- 27** Before operation, ensure all utensils are removed from containers. Failure to remove utensils can cause containers to shatter and potentially result in personal injury and property damage.
- 28 DO NOT** carry the unit by the bail handle. Hold the unit by grasping both sides of the unit under the motor base.
- 29 DO NOT** process hard, loose ingredients or ice. This appliance is not intended to process loose frozen fruit, a block of solid ice, or ice cubes.
- 30 ALWAYS** keep the unit upright.
- 31** After unboxing the unit for the first time, ensure the unit is upright for at least 2 hours before operating to let the refrigerant oils settle in the air conditioning system for best performance.
- 32** The supply cord cannot be replaced. If the cord is damaged the appliance should be scrapped.
- 33** Keep rear and sides of the unit open in order for the compressor to operate properly and not over heat.
- 34 DO NOT** damage the refrigerant circuit. This warning is applicable only for appliances with refrigerating circuits that are accessible by the user.
- 35** When using appliance, make sure both sides and back of it are at least 10cm away from walls.
- 36** When positioning the appliance, ensure the supply cord is not trapped or damaged.
- 37 DO NOT** locate multiple portable socket-outlets or portable power supplies at the rear of the appliance.
- 38** Switch mechanical power switch to Off position after main function (active function).

SAVE THESE INSTRUCTIONS

PARTS



- | | |
|---|--|
| A Easy-Fill Port and Cover | G Bail Handle |
| B Vessel* | H Evaporator (Attached to Motor Base) |
| C Comfort Handle | I Auger |
| D Pour Spout with Removable Shroud | J Motor Base |
| E Condensation Catch | K Control Panel |
| F 2-Part Drip Tray | L Drip Tray Storage (Left side of Motor Base) |

*710ml minimum liquid capacity. 3310ml maximum liquid capacity.

To find great recipes, visit **AU** ninjakitchen.com.au | **NZ** ninjakitchen.co.nz

BEFORE FIRST USE

IMPORTANT: Review all warnings at the beginning of this Owner's Guide before proceeding.

- 1** Remove all packaging materials from the unit.
- 2** Wash all parts in warm, soapy water.
- 3** Thoroughly rinse and air dry all parts.
- 4** Wipe control panel, motor base, and evaporator with a damp cloth. Allow to dry completely before using.
- 5** **If unit was not in the upright position before use, place the unit upright on a countertop for at least 2 hours before operating. This allows the refrigerant to settle in the condenser for optimal and safe use.**

NOTE: Staining of the vessel may occur with certain coloured liquids (i.e. yellow/orange). For more information, please visit **AU** ninjakitchen.com.au | **NZ** ninjakitchen.co.nz

USING THE CONTROL PANEL

POWER


- Press to power the unit on and off.

RINSE CYCLE

- This cycle agitates, without cooling, to rinse the unit.

SLUSHASSIST PROGRAM

- Unique program that senses combinations of ingredients, auto-adjusts settings and delivers the optimal slush output every time. Perfect for measurement-free at home creations.
- When **SLUSHASSIST** is selected, the associated LEDs illuminate BLUE. The top right control panel screen reads “**SENSING**” for 10-15 minutes while the optimal slush texture is being calculated. The temperature control LEDs will rotate clockwise while sensing.
- When “**SENSING**” has finished and the slush texture point is determined, the dial will display the set temperature and the slushing will continue. If desired, adjust temperatures settings after “**SENSING**” stage has complete.



PRESETS

- 5 presets set to deliver pre-programmed temperatures. Adjust the temperature any time by using the temperature dial.

TEMPERATURE CONTROL SETTING

- The temperature control dial displays temperatures from cold (left) to coldest (right). After selecting a preset program, the target temperature on the dial will become solid and the left range of LEDs on the dial will pulse. When each temperature is reached, the LEDs will become solid. Your slush is complete when all LEDs in the range are solid and “**ENJOY**” is displayed on the top right control panel.
- Adjust the temperature using the dial for your perfect frozen drink texture.
- For thinner**, more sippable frozen drinks, adjust the temperature by rotating the dial anticlockwise.
- For thicker**, colder frozen drinks, adjust the temperature by rotating the dial clockwise.

TROUBLESHOOTING TIPS

- RECIPE NOT SLUSHING?** If your recipe has not reached the desired texture after 60 minutes, turn the temperature dial clockwise once to get to a colder temperature. Wait 5-10 minutes to test the recipe. If the texture still isn't what you desire, repeat turning dial clockwise one more level. Repeat until desired texture is achieved.
- SLUSH NOT DISPENSING?** For the best dispensing experience, fill the unit to the max fill line and ensure the unit is running. For a smoother dispense experience, turn the temperature dial anticlockwise once to get to a warmer temperature. More sippable frozen drinks will dispense smoother.

PRESETS

Each preset (excluding the **SLUSHASSIST** program) will start at a default/optimal temperature for ideal texture. If desired, adjust the temperature for your perfect frozen drink texture.

PRESET	DEFAULT/OPTIMAL TEMPERATURE	DESIGNED FOR	RECIPE EXAMPLES
SLUSHASSIST	0000000000000000	Use SlushAssist with any drink for the perfect slush every time without the guess work.	Any Drink*
SLUSH	0000	Transforming your everyday beverages	Soda, Lemonade, Sports drink
FROZEN COCKTAIL	0000000000	Beverages with up to 15% alcohol content	Canned Cocktails, Hard Ciders, Rosé
FROZEN COCKTAIL MAX	00000000000000	Beverages with up to 20% alcohol content	Premixed Margaritas
MILKSHAKE	0000000	Dairy and creamier-based beverages	Chocolate Milk, Blended Milkshake
FROZEN JUICE	0000	Naturally sweetened beverages	Orange Juice, Apple Juice

*Refer to the sugar and alcohol guidelines on the following page to ensure your recipe is within limits.

REQUIRED SUGAR CONTENT

Too little sugar or too much alcohol will prevent proper freezing of a slush output. Follow guidelines below for a perfect slush every time.

All inputs must contain at least 5g sugar per 100ml.

NOTE: Pre-frozen ingredients taste sweeter. Worried your drink might be too sweet? Don't worry, it won't taste as sweet after you freeze and slush it into a frozen drink.

SUGAR GUIDELINES

Refer to drink/liquid nutrition label to ensure sugar content meets the recommended minimums below:

SERVING SIZE	Minimum Total Sugar Amount
330ml	16.5g
750ml	37.5g
1000ml	50g

SUGAR REQUIREMENT EXAMPLE:

Nutrition	per 100ml	Serving Size
Energy	235kJ/55kcal	
Fat	0.5g	
Sodium	25g	
Carbohydrates	11g	
of which sugars*	5g	Total Sugars (5g meets the minimum requirements)
Protein	0.65g	
Salt	25mg	

! TROUBLESHOOTING TIPS

Low-sugar alert: "ADD SUGAR" will appear on the top right control panel screen, and unit will beep at one minute intervals until error is addressed. Unit will shut off if the error has not been resolved after 15 minutes, preset must be pressed again after addition of ingredients.

To fix "ADD SUGAR" alert: For every 230ml of liquid in the vessel add 2 tablespoons (30ml) simple syrup, flavoured syrup, honey, agave nectar, maple syrup, or grenadine. Combine additional sugar with the base prior to pouring in unit. **Press the program again to clear the error and continue slushing.**

If using granulated sugar, coconut sugar, or date sugar, dispense 230ml liquid into separate container and mix to dissolve before retuning liquid to vessel. If at MAX FILL, dispense an extra 230ml liquid to account for the addition and set aside. **Press the program again to clear the error and continue slushing.**

NOTE: Sugar-free substitutes or artificial sweeteners will not aid in meeting total minimum or maximum sugar requirements.

DIET, LOW-SUGAR DRINKS AND NO-ADDED SUGAR

Diet and low-sugar drinks won't slush when they're the only ingredient, as too little sugar will prevent recipes from freezing properly. To turn your favourite diet and low-sugar drinks into a Slushi, add the below ingredients to your input:

LOW-SUGAR DRINK	ADDITIONAL INGREDIENTS
800ml	45g erythritol, 30ml lemon juice & 1/4 teaspoon salt
1480ml	85g erythritol, 60ml lemon juice & 1/2 teaspoon salt
2150ml	120g erythritol, 80ml lemon juice & 3/4 teaspoon salt
3000ml	160g erythritol, 120ml lemon juice & 1 teaspoon salt

WHAT IS ERYTHRITOL?

Erythritol is a low-calorie natural sweetener that offers a taste similar to sugar without significantly affecting blood sugar levels or contributing to tooth decay. It is widely used as a sugar substitute in various food products and is considered safe for consumption. As with all dietary components, it is advisable to consume erythritol in moderation as part of a balanced diet.

ALCOHOL GUIDELINES

Ninja Slushi MAX unlocks colder temperatures which enables higher alcohol content to slush. When using **FROZEN COCKTAIL** preset, all premade inputs (wine, beer, hard ciders and canned cocktails) must be between **2.8%-15%** alcohol. When using **FROZEN COCKTAIL MAX** preset, inputs must be between **15%-20%**. This could be a homemade concoction or an off the shelf bottle of your favourite premade cocktails. The perfect balance for your favourite frozen cocktails at home.

HARD ALCOHOL/SPIRIT GUIDELINES

To create frozen cocktails, see chart below for the maximum hard alcohol/spirit (vodka, tequila, etc.) content per total recipe size.

Total Recipe Size	Maximum Spirit Amount (40% ABV)
880ml	190ml
1650ml	350ml
2480ml	530ml
3300ml	700ml

Chart above is a guide for incorporating hard alcohol/spirits (35% +) **ONLY**. When using other alcohols such as wine, beer, seltzer, or premade cocktails, refer to the Inspiration Guide.

TIPS

- **When using LIGHT or LOWER SUGAR drink mixes**, omit water from the recipe and replace with additional light drink mix in the equal amount.
- **When using premade mixes containing alcohol**, omit addition of alcohol from chart instructions and replace with additional drink mix in equal amount.
- **When using full sugar premade mixes with blender instructions**, use 1/2 the amount of ice recommended on package instructions in the form of water (e.g. 1 cup ice = 1/2 cup water).
- **When using light sugar premade mixes with blender instructions**, use 1/4 the amount of ice recommended on package instructions in the form of water (e.g. 1 cup ice = 1/4 cup water).

! TROUBLESHOOTING TIPS

High-alcohol/high-sugar alert: If the alcohol and sugar content of the input is too high, the unit will detect it and provide an alert. **"ADD WATER"** LED will illuminate the top right screen of the control panel, and unit will beep at one minute intervals until error is addressed. Unit will shut off if the error has not been resolved after 15 minutes, preset must be pressed again after addition of water.

To fix ADD WATER alert: For every 230ml of liquid in the vessel, add 3 tablespoons (45ml) of water to dilute the input, and get a thicker slush texture. **Press program again to clear the error and continue slushing.**

Total Recipe Size	Amount of water needed (when unit shows "ADD WAER")
800ml	160ml
1650ml	320ml
2480ml	480ml
3300ml	640ml

TIPS & TRICKS

- Keep unit upright for at least 2 hours before first use.
- **DO NOT** add hot ingredients.
- **DO NOT** add ice or solid ingredients like fruit, ice cream, or frozen fruit.
- Pre-frozen ingredients taste sweeter. Worried your drink might be too sweet? Don't worry, it won't taste as sweet after you freeze and slush it into a frozen drink.
- All inputs must include at least 5g sugar per 100ml.
- When using the **FROZEN COCKTAIL** preset, all premade inputs must contain between 2.8%-15% alcohol.
- When using **FROZEN COCKTAIL MAX** preset, all inputs must contain between 15%-20% alcohol.
- For best results, chill liquid(s) or blended ingredients before adding to the unit.
- For the frostiest results, chill serving glasses before dispensing your frozen drink.
- For your ideal frozen drink texture, use the temperature control dial to adjust.
- When dispensing liquid from the **RINSE** feature, gradually pull the dispense handle for the liquid dispense flow. Do not open the dispense nozzle fully unless you are pouring into a large, open container to avoid overspill.
- When using the Milkshake preset, dispense contents within 30 minutes of the preset ending to avoid a foamy output.
- For the best dispensing experience, fill the unit to the max fill line (3310ml) and ensure the dispense handle is fully extended for maximum liquid dispensing.
- You can run the unit up to 12 hours.

Minimum input = 710ml Maximum input = 3310ml

This is NOT a blender.

DO NOT process a solid block of ice or ice cubes.

DO NOT make a smoothie or process hard, loose ingredients.

DO NOT attempt to blend or macerate non-liquid ingredients.



USING THE NINJA SLUSHI MAX FROZEN DRINK MAKER

IMPORTANT: Review all warnings at the beginning of this Owner's Guide before proceeding.

NOTE:


- Minimum 710ml input required for using the unit.
- Maximum 3310ml liquid capacity.
- **DO NOT** add ice or solid ingredients like fruit, ice cream, or frozen fruit.
- **DO NOT** add hot ingredients.

- 1 Ensure all parts are fully cleaned and the motor base is level on a flat, solid surface.
- 2 Install the condensation catch under the evaporator by sliding it into the rail grooves.




- 3 Install the auger by sliding it over the evaporator and rotating until it fits into place onto the pin.
- 4 With the bail handle up, slide the vessel over the installed auger and evaporator.


- 5 Lock the vessel in place by pushing the bail handle back to seal the vessel.
- 6 Insert the drip tray in front of the motor base until it clicks in place.



NOTE: Make sure the unit has been sitting upright on the countertop for at least 2 hours before first use, so the refrigerant can settle in the condenser for optimal and safe use.



- 7 Plug the unit in.
- 8 Open the cover on the top of the vessel.
- 9 Add liquid(s) and/or blended ingredients through the easy-fill port and close the cover. To prevent leaking and spills, ensure the vessel is locked into place before adding liquid(s) to the vessel.
- 10 Press the power button to turn the unit on.



- 11 Choose your desired program.
- 12 When **SLUSHASSIST** is selected, all LEDs will illuminate blue, "**SLUSHASSIST**" and "**SENSING**" will appear in the top right corner of the control panel. The temperature dial will rotate clockwise while sensing until the unit determines the temperature needed for the output. Determined temperature is indicated by a solid LED on the temperature settings.


If a preset is selected, temperature is automatically set to the predetermined temperature and slushing will begin.

USING THE NINJA SLUSHI MAX FROZEN DRINK MAKER - CONT.

NOTE:

- Temperature Control Setting LEDs will pulse while frozen drink is freezing to the set temperature level. Once frozen drink reaches the desired temperature, dial LEDs will remain solid, the unit will beep and "ENJOY" appears on the control panel. Unit will continue running to keep your frozen drink at the ideal temperature and be ready to dispense.
- Creating drinks can take up to 15-60 minutes depending on ingredients, volume, and starting temperature.
- Pre-frozen ingredients taste sweeter. Worried your drink might be too sweet? Don't worry, it won't taste as sweet after you freeze and slush it into a frozen drink.

- 13 Unit will beep, dial LEDs will remain solid and "ENJOY" will appear once frozen drink reaches temperature.
- 14 Place a cup on the drip tray, under the handle.
- 15 To dispense slush, slowly pull the handle. To stop, release the handle back in place.
- 16 Enjoy your latest frozen drink creation.
- 17 Run the unit for up to 12 hours.



NOTE: DO NOT turn off program until all frozen drink has been dispensed.


CARE & MAINTENANCE

USING THE RINSE CYCLE

NOTE: Liquids from rinsing will dispense quickly from vessel pour spout. Ensure you use a large cup or bowl to capture this liquid.

This cycle agitates, without cooling, to rinse the unit. After using the Rinse cycle, wash all parts by hand to fully clean the unit after each use.

- 1 Dispense any remaining frozen drink.
- 2 Stop the current program. Press the **RINSE** button.
- 3 Add hot water up to the vessel's max fill line (3310ml).
- 4 Slowly dispense the water from the unit immediately after and repeat as needed with clean water until it runs clear.
- 5 Stop Rinse cycle by pressing the **RINSE** button again and leave vessel cover open to air dry.
- 6 Press the power button to turn the unit off.




NOTE: If needed, repeat until all remaining frozen drink is rinsed off the evaporator.

CARE & MAINTENANCE - CONT.


DISASSEMBLY & CLEANING

For best results, use the Rinse cycle before disassembling and cleaning all parts.

- 1 Unlock the bail handle by pulling forward and remove the vessel by gently pulling it off the unit. Ensure the vessel is tipped downward to prevent remaining liquid from spilling out the back of the vessel. Set aside.
- 2 Slide the auger off the evaporator. Set aside.



- 3 Wipe down the evaporator with a sanitized or warm, damp cloth.
- 4 Gently slide the condensation catch out of the unit, since there may be residual liquid in the condensation catch. Pour away liquid then set aside.
- 5 Wipe down unit underneath the evaporator with a sanitized or warm, damp cloth.
- 6 If needed, remove the drip tray and/or spout shroud.




NOTE: Drip tray cover can be removed for easy cleaning.

- 7 Handwash all parts in hot, soapy water. If needed, repeat until all parts are fully clean.
- 8 Wipe down the motor base with a sanitized or warm, damp cloth.
- 9 Allow all parts to dry thoroughly before reassembling and/or storing the unit.

STORING

DO NOT wrap the cord around the bottom of the base. Store the unit upright and store all parts assembled. Store the drip tray on the left side of the unit by hanging it in place. When moving the unit, lift from the bottom of the motor base.

DO NOT store ingredients inside the vessel.




RESETTING THE MOTOR

This unit features a unique safety system that prevents damage to the motor and drive system should you inadvertently overload it. If the unit is overloaded, the motor will be temporarily disabled. Should this occur, follow the reset procedure below.

- 1 Unplug the unit from the electrical outlet.
- 2 Allow the unit to cool for approximately 15 minutes.
- 3 Remove all parts and accessories. Ensure no ingredients are jamming the auger.

IMPORTANT: Ensure that maximum capacity is not exceeded. This is the most typical cause of appliance overload.

DO NOT process a solid block of ice or ice cubes. **DO NOT** make a smoothie or process hard, loose ingredients.



If your unit needs servicing, please call Customer Service at **AU** 02 8801 7666 | **NZ** 0800 112 660. So we may better assist you, please register your product online at **AU** ninjakitchen.com.au | **NZ** ninjakitchen.co.nz and have the product on hand when you call.

ORDERING REPLACEMENT PARTS

To order additional parts and attachments, visit **AU** ninjakitchen.com.au | **NZ** ninjakitchen.co.nz

PRODUCT REGISTRATION

Please visit **AU** ninjakitchen.com.au | **NZ** ninjakitchen.co.nz to register your new Ninja product within ten (10) days of purchase. You will be asked to provide the store name, date of purchase, and model number along with your name and address.

The registration will enable us to contact you in the unlikely event of a product safety notification. By registering, you acknowledge you have read and understood the instructions for use and warnings set forth in the accompanying instructions.

TROUBLESHOOTING GUIDE

⚠ WARNING: To reduce the risk of shock and unintended operation, turn power off and unplug unit before troubleshooting.

Unit is difficult to remove from counter for storage.

- Place your hands underneath both sides of the motor base and gently pull the unit up and toward you.

Can I add frozen fruit or ice?

- No. **DO NOT** add frozen ingredients or ice when using this unit.

Vessel not installed alert: If the vessel is not installed correctly, the unit will detect it and provide an alert. All preset LEDs will flash.

- To prevent leaking and spills, ensure the vessel is empty before assembling or disassembling onto the motor base. With the bail handle up, slide the vessel over the installed auger and evaporator.
- Lock the vessel in place by pushing the bail handle back to seal the vessel.
- Press the Power button to turn unit on, and the preset LEDs will illuminate, indicating the unit is ready for use.

Low-sugar alert: If the sugar content of the input is too low, the unit will detect it and provide an alert. "ADD SUGAR" LED will illuminate in the top right corner of the control panel. The unit will beep every minute for 15 minutes.

- Check the sugar content in your recipe to ensure it contains at least 5g per 100ml of sugar.
- If using a premade beverage, check the ingredient list to ensure the sugar content is at least 5g per 100ml and ensure the beverage doesn't include artificial sweeteners. Refer to the Required Sugar Content section for more details.
- If a drink does not meet minimum requirements of total sugar, add 2 tablespoons (30ml) flavoured syrup, juice, sugar, date sugar, coconut sugar, maple syrup, agave, simple syrup, or honey per serving (230ml).
- **Press program again to clear error and continue slushing.**

High-alcohol/high-sugar alert: If the alcohol and sugar content of the input is too high, the unit will detect it and provide an alert. "ADD WATER" LED will illuminate in the top right corner of the control panel. The unit will beep every minute for 15 minutes.

- If using **FROZEN COCKTAIL**, check the alcohol content in your recipe to ensure it contains between **2.8%-15%** alcohol or use **SLUSHASSIST**. If using **FROZEN COCKTAIL MAX**, check the alcohol content in your recipe to ensure it contains between **15%-20%** alcohol or use **SLUSHASSIST**.
- If using hard alcohol/spirits (35%+), use 120ml for every 710ml of total recipe size. Refer to the Alcohol Guidelines section for more details.
- If a drink exceeds the maximum alcohol amount, add 3 tablespoons (45ml) water per serving (230ml) to dilute the input.
- **Press program again to clear error and continue slushing.**

Motor stall alert: If the motor stalls while running, the unit will detect it and provide an alert. Every Temperature Control LED will flash, and the unit will beep every minute for 15 minutes.

- This unit features a unique safety system that prevents damage to the motor and drive system should you inadvertently overload it. If the unit is overloaded, the motor will be temporarily disabled.
- Unplug the unit from the electrical outlet.
- Allow the unit to cool for approximately 15 minutes.
- Plug in the unit again and press a program to resume unit use.
- If the unit is still showing an error code, remove all parts and accessories (taking care that the slush does not spill). Ensure no ingredients are jamming the auger.
- Plug in the unit again and reassemble all parts to resume unit use.

If the auger stops and the unit flashes "SENSING", allow the unit to complete its process and do not intervene. The unit will correct itself after this behavior.

Unit failure alert: If the unit fails, the unit will detect it and provide an alert. Every other Temperature Control LED will flash alternately, and the unit will beep every minute for 15 minutes.

- If the unit fails, contact our customer service helpline on **AU** 02 8801 7666 | **NZ** 0800 112 660.

Unit sideways alert: If the unit is on its side during use, the unit will detect it and provide an alert. The top 5 and bottom 5 Temperature Control LEDs will flash alternately, and the unit will beep every minute for 15 minutes.

- Place the unit upright and let it stand for at least 2 hours before using.

NOTES

If your product becomes defective due to faulty material or workmanship within a period of 2 years from the date of purchase, we warrant to do the following:

- **For New Zealand Consumers:** We will replace the defective/faulty part with a new product, free of charge or if the unit is deemed defective/faulty we replace the unit with an equivalent or upgraded model, at our discretion.
- **For Australian Consumers:** Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Replacement items will be covered by the limited warranty for the balance of the warranty period from the date of the original purchase. **Please note: Your warranty is subject to the following conditions:**

- **DO NOT** operate the appliance with a damaged plug or cord or if the unit has been dropped, damaged or dropped in water.
- To avoid the risk of electric shock, do not disassemble or attempt to repair the appliance on your own. If the supply cord is damaged, it must be replaced by a qualified electrician to avoid a hazard. Incorrect re-assembly or repair can cause a risk of electric shock or injury to persons when the appliance is used.
- The item has not been misused, abused, neglected, altered, modified or repaired by anyone.
- The item has been subjected to fair wear and tear.
- The item has not been used for trade, professional or hire purposes.
- The item has not sustained damage through foreign objects, substances or accident.

- Accessories supplied with the item.
- Components that are subject to natural wear and tear caused by normal use in accordance with operating instructions.
- Unauthorised/improper maintenance/handling or overload is excluded from this warranty.

[illegible]

VISIT US ONLINE AT:
AU ninjakitchen.com.au | **NZ** ninjakitchen.co.nz
Or follow us on any of our social media pages:



AU [@ninjakitchenau](https://www.instagram.com/ninjakitchenau) | **NZ** [@ninjakitchennz](https://www.instagram.com/ninjakitchennz)



REGISTER YOUR PURCHASE

 **AU** ninjakitchen.com.au | **NZ** ninjakitchen.co.nz

 Scan QR code using mobile device

RECORD THIS INFORMATION

Model Number: _____

Serial Number: _____

Date of Purchase: _____
(Keep receipt)

Store of Purchase: _____

TECHNICAL SPECIFICATIONS

Voltage: 220-240V~, 50Hz
Power: 440 Watts

The power consumption in off mode is 0.0W.

SHARKNINJA PTY. LTD.
Suite 23.02, Level 23,
45 Clarence St, Sydney NSW 2000
AU 02 8801 7666 | NZ 0800 112 660
ninjakitchen.com.au | ninjakitchen.co.nz

Illustrations may differ from actual product. We are constantly striving to improve our products, therefore the specifications contained herein are subject to change without notice.

NINJA SLUSHI is a trademark of SharkNinja Operating LLC.

© 2026 SharkNinja Operating LLC

FS605ANZSeries_IB_MP_Mv5

